



BRISTOL-BURLINGTON HEALTH DISTRICT
240 Stafford Avenue, Bristol, Connecticut 06010-4617
Tel. (860) 584-7682 • Fax (860) 584-3814

FEE: \$ _____

PLAN REVIEW APPLICATION FOR COSMETOLOGY OR BODY ARTS FACILITY

DATE: _____

TYPE OF FACILITY: _____

NAME OF PROPOSED FACILITY: _____

ADDRESS: _____ TOWN: _____

APPLICANT: _____

MAILING NAME: _____

MAILING ADDRESS: _____ TOWN: _____

PHONE: _____ FAX: _____ E-MAIL: _____

IS THIS A RENOVATION OR A NEW BUILDING? _____

IS THE BUILDING SERVED BY: (CHECK ALL THAT APPLY)

CITY SEWER:

PUBLIC WATER:

SEPTIC:

WELL WATER:

**ALONG WITH THIS APPLICATION, PLEASE BE SURE TO PROVIDE
A COPY OF YOUR CONNECTICUT STATE COSMETOLOGY LICENSE**

*****PLEASE REVIEW REVERSE SIDE FOR REQUIREMENTS*****

PROPOSED COSMETOLOGY OR BODY ARTS FACILITY REQUIREMENTS

- 1** A plan review application and the required fee. See attached fee schedule.
- 2** When an Establishment is constructed or remodeled, plans drawn in a minimum 1/4 inch scale and specifications for construction must be submitted along with an application to the Department for approval.
- 3** The plans must include but are not limited to: description and location of work areas and equipment, numbers of stations, sinks, counters, storage areas, toilet facilities, fixtures, and waiting areas.
- 4** Manufacturer's specification sheets shall be included in the plan submission for all equipment, floors, walls and ceilings.
- 5** All plans must be approved by this department prior to construction of the facility.
- 6** Floors shall be constructed of approved materials so as to be durable, easily cleanable, non-absorbent and free of holes.
- 7** The juncture between the floor and wall shall be closed or covered to permit effective cleaning.
- 8** Walls, ceilings and attached equipment shall be constructed of approved materials so as to be durable, easily cleanable, non-absorbent and free of holes.
- 9** The shop/salon shall be properly and adequately ventilated to remove excess heat, vapors and odors. Salon ventilation shall comply with State and Local building codes and ordinances.
- 10** If the facility is served by a private well, a water analysis verifying the water potability must be submitted.
- 11** If the proposed facility is served by a septic system, the system may need evaluation by an engineer to ensure it is suitable for the proposed use.
- 12** You must contact your Building Inspector, Fire Marshal, Zoning Official and, if applicable, the water pollution control authority, regarding their requirements.