



## BRISTOL-BURLINGTON HEALTH DISTRICT

240 Stafford Avenue  
Bristol, Connecticut 06010-4617

(203) 584-7682

NOTICE TO ALL BUILDERS, SEPTIC INSTALLERS OPERATING  
WITHIN THE BRISTOL-BURLINGTON HEALTH DISTRICT

THERE HAS RECENTLY BEEN AN INCREASE IN THE NUMBER OF BUILDING CONVERSIONS (i.e. ADDING A BEDROOM) OR A FAILING SEPTIC THAT NEEDS TO BE BROUGHT UP TO THE PRESENT CODE.

EFFECTIVE IMMEDIATELY ALL RESIDENTIAL DWELLINGS REQUIRING THE INSTALLATION OF A SUBSURFACE SEWAGE DISPOSAL WILL BE UPGRADED ONE SIZE.

THE MINIMUM LIQUID CAPACITY OF A SEPTIC TANK SERVING A RESIDENTIAL BUILDING SHALL BE ONE THOUSAND TWO HUNDRED AND FIFTY GALLONS.

ADDITIONAL CAPACITY OF TWO HUNDRED AND FIFTY GALLONS PER BEDROOM SHALL BE PROVIDED FOR RESIDENTIAL BUILDINGS WITH MORE THAN THREE BEDROOMS, AND/OR A GARBAGE DISPOSAL.

*William E. Furniss, MS, MD*

WILLIAM E. FURNISS, MS, MD  
DIRECTOR OF HEALTH

*Nov 25, 1991*